


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Reserve
aSF395
.8
.A1I52
2002



Index of NAHMS Swine Information

National Animal Health Monitoring System (NAHMS)
National Swine Studies 1990, 1995, 2000

October 2002



United States
Department of
Agriculture

Animal and
Plant Health
Inspection
Service

Veterinary
Services

Introduction

Background

The USDA's National Animal Health Monitoring System (NAHMS) has conducted three national swine studies, one each in 1990, 1995, and 2000. Data were collected from randomly selected farms via questionnaires, producer diaries, logs, biological sampling, and environmental sampling. This information has been released to the public via seven descriptive reports and a number of info sheets as well as other references. Quickly and efficiently locating specific information has become a challenge.

Purpose

This index has been created to assist in accessing this important information quickly and efficiently.

How to Use

- Topics are listed alphabetically on pages 1-25. Descriptive reports, info sheets, and other references indexed are listed in the back (pages 27-30).
- The majority of information generated from NAHMS studies can be found in the seven descriptive reports which are identified as column headings. Page numbers in the column identify where to find information on that topic. Letters A-Y in the column identify the info sheet which contains information on the topic.
- All other reference material is cited by number (1-51) in the last column.

It is our hope that this index will be of value in locating the specific information from our NAHMS studies.

APHIS/Center for Animal Health Monitoring, October 2002

MAY 3 0 2003

CATALOGING PREP

	1990	1995-I	1995-II	1995-III	Descriptive Reports			Other References
					2000-I	2000-II	2000-III	
Antibiotic Resistance								
Salmonella								36, 37
Antimicrobial Susceptibility								36, 37
Salmonella								47
Antipyrine								
Apramycin								
Susceptibility of Salmonella								
Use in feed or water								36, 37
Use in grower/finisher								39, 44
Use in nursery pigs								
Arcobacter								
Arsenilic Acid								
Use in grower/finisher								
Use in nursery pigs								
Arthritis (see also Lameness)								
Condemnation rates								
Artificial Insemination (see also Breeding)								
Frequency of use								
Veterinary consultation								
Ascaris Suum (Roundworms)								
Fecal load								
Prevalence								
Atrophic Rhinitis (AR)								
Cost								
Prevalence								
Vaccination								
Baby Pig (birth to weaning)								
Diarrhea morbidity and mortality								
Morbidity								
Mortality								
Cost								12, 14
Rate								15
Reasons								15, 21, 32
Risk factors								21, 32
Performance								
Preventive practices								
Bacitracin Methylene Disalicylate (BMD)								
Use in feed								39, 44
Use in grower/finisher								
Use in nursery pigs								
Bambermycin								
Use in feed								39, 44
Use in grower/finisher								

		Descriptive Reports					Other References
		1990	1995-I	1995-II	1995-III	2000-I	
Farms evaluating boars		p43					
Frequency of exams		p43					
Types of boars evaluated		p43					
Isolation and quarantine		p17; E	p16				
Days new arrivals separated		p17; E	p16				
Health testing new arrivals		p17; E	p16				
Preventive practices		p27; C	p12				
Source of purchased animals		p32-33					
Boar Stud							
Use as source of semen						p7	
Brachyspira (Serpulina) Hyodysenteriae (see Swine Dysentery)							
Breeding-Mating (act of) (see also Reproduction)							
Artificial insemination (see Artificial Insemination)		p41	p7				
Bred naturally, artificial insemination		p40	p7				
Hand-mating sows and gilts		p41					
Average number--males/female/heat period		p41					
Pen-mating sows and gilts		p40	p7				
Average females per group		p41					
Average males per group		p41					
Frequency of boar rotation between pens		p41					
Efficiency							
Average number of sows/gilts farrowed per farm		p37					
Facility management							
Farrowing types practiced by farms		p35					
Gilts							
Average age gilts separated from market hogs		p42					
Average age at first breeding		p42					
Farms allowing contact with boars before breeding		p42					
Average days exposed		p42					
Farms allowing contact with sows before breeding		p42					
Average days exposed		p42					
Mating practices							
Farm average for hand-mated, pen-mated		p40					
Sows and gilts hand-mated, pen-mated		p40					
Brucellosis							
Testing to be free of							
Business (see also Economics, Marketing, Veterinary Practice)							
Farm personnel							
Training							
Marketing arrangements		p34					
Method sold							
Calcium							
Serology							
Use in sows							

		Descriptive Reports					Other References	
		1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Water		p14-16						4, 6, 17
Camplybacter	Antimicrobial susceptibility							
Prevalence								
Carbadox	Antimicrobial susceptibility							2
Prevention of diarrhea								39, 44
Use in feed								
Use in grower/finisher								
Use in nursery pigs								
Carcass								
Disposal		p24	p18-19					
Information producers receive from slaughter plants			p23					
Castration								
Baby pigs			p11, 27					
Cats	Access to various facilities			p19				
On swine premises				p19				
Rodent control					p15			
Cattle	Distance of swine farm-to-farm with cattle				p23			
On swine premises					p18			
Within 1 or 3 miles of premises					p22			
Ceftiofur	Susceptibility of Salmonella							36, 37
Use in grower/finishers								
Use in sows								
Chlortetracycline	Use in feed				p6			
Use in grower/finisher								
Use in nursery pigs								
Circovirus (see also Postweaning Multisystemic Wasting Syndrome)	Prevalence							
Clostridium	Cost							2
Prevalence								
Vaccination								
Coccidiosis			p26; C					
Fecal load								2
Eimeria								2
Isospora								2
Mortality rate								2
Prevalence								
Prevention								
								p11, 13, 27

		Descriptive Reports					Other References	
		1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Colibacillosis (see <i>E. coli Enteritis</i>)								
Composting (see <i>Waste Management</i>)								
Computer (see <i>Records</i>)								
Cooling (see <i>Housing</i>)								
Copper							2	
Feed							2	
Serology							4	
Water								
Copper Sulfate								
Use in feed								
Crossfostering								
Cryptosporidia								
Fecal load								
Culling								
Boars								
Average age							p42	
Rate								
Reasons							p42	
Breeding age females								
Average age							p42	
Rate							p31	
Reasons							p41	
Market swine								
Rate								
Reasons								
Dead Animal Disposal								
Method used								
Depopulation/Repopulation								
Continuously raised on swine farm--number of years								
Partial								
Dermatitis								
Other skin diseases within last 12 months							p25	
Deworming (see <i>Parasites and Anthelmintics</i>)								
Dexamethasone								
Diagnosis								
Use of lab or veterinarian for								
Diarrhea								
Cost								
Incidence								
Morbidity								
Mortality								
Prevalence/reason for death loss								
Baby pigs								

		Descriptive Reports						Other References
		1990	1995-I	1995-II	1995-III	2000-I	2000-II	
Nursery pigs								
Grower/finisher pigs		p39	p5	p16	p15	p18-19	p8,9,V	
Breeding females		p40	p6	p16	p16	p22	p11	
Fatality rate								2
Risk factors								7, 16, 23, 24
Prevention								2
Dichlorvos								
Use in grower/finisher								
Disease								
Baby pig						p7		
Breeding herd						p4-5	1, 2, 12, 14	
Cost							28, 29	
Control								
Grower/finisher pigs								
Managing sick pigs								
Nursery pigs								
Prevalence								
Actinobacillus pleuropneumonia (APP)								
Atrophic rhinitis								
Brucellosis								
Clostridium								
Erysipelas								
Escherichia coli								
External parasites								
Gastric ulcers								
Hemophilus parasuis (Glasser's disease)								
Hemorrhagic bowel syndrome								
Ileitis (see also Proliferative Enteritis)								
Internal parasites								
Leptospirosis								
Lice								
Mange								
Muscle, bone, or joint problems								
Mycoplasma pneumonia								
Nervous system								
Nonparasitic digestive problems								
Other diseases								
Other skin diseases								
Parvovirus								
PMWS								
Porcine reproductive and respiratory syndrome								
Pseudorabies								
Reproductive health events								
Respiratory health events								
Rotavirus								
								p7

	Descriptive Reports					Other References	
	1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Salmonella							
Staphylococcus hyicus (Greasy Pig)							
Streptococcus							
Swine dysentery	p23			p14		p4,25,28	p7,25
Swine influenza	p13, 23			p14		p4,25,28	2, 9, 10
Transmissible gastroenteritis (TGE)	p13, 23			p14		p4,25,28	2, 7, 49
Prevention	p11, 27; C			p6		p4,7,25	2, 7, 22
Dogs							
Access to various facilities							
On swine premises							
Doramectin							
Drugs (see also by name and type)							
Administration							
Baby pigs	p11, 27						
Biologics (see Vaccines)							
Cost							2
Employee training							
Feed usage	p13, 27	p12	p6	p20; K	p37-38	p42,51-56; T	39, 44
Injectable usage	p11, 13, 27	p12	p21	p20, 22	p37-38	p46-47; T	47
Residue				p32			
Source for producers							
Veterinary consultation							
Water usage							
Economics (see also Business, Marketing)							
Cost of disease							
Vaccination of E. coli scours							
Edema Disease							
Prevalence							
EMC Virus, Encephalomyocarditis virus							
Mortality rate							2
Serology							
Vaccination							
Enteric Diseases (see also Diarrhea)							
Fatality rate							
Prevalence/reason for death loss							
Baby pigs	p37-38; B	p3		p12-13	p15	p7	
Nursery pigs	p39	p5		p15	p18-19	p8-9	
Grower/finisher pigs	p40	p6		p16	p11	p11	
Environment (see also Waste Management)							
Air quality							
Ammonia							
Reduction with Micro-Aid							
Assessment							
Waste management							
Water quality							

		Descriptive Reports				Other References	
	1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Veterinary consultation							
Environmental Assurance Programs							
Waste disposal							
Eperythrozoonosis							
Serology							
Erysipelas							
Cost							
Prevalence							
Serology							
Vaccination							
E. coli							
O157							
Prevalence							
E. coli Enteritis							
Cost							
Mortality rates							
Prevalence							
Serology							
Vaccination							
Exudative Epidermitis (see Greasy Pig)							
Facilities (see Housing)							
Farrowing (act of parturition)							
Behavior							
Disorders							
Facilities (see also Housing)							
Association with baby pig mortality							
Idle between farrowings							
Management and other characteristics							
Types used							
Induction							
Morbidity (incidence) of problems							
Mortality (of sows)							
Oxytocin							
Pig flow (AI/AO; continuous)							
Performance rates							
Average number of sows/gilts farrowed							
Per-litter productivity							
Sow management							
Assisted manually during farrowing							
Observed during farrowing							
Washed before farrowing							
Water							
Effects of nitrate							
Sources sows drink from							

		Descriptive Reports					Other References	
		1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Farrowing Crate								
Utilization								
Systems								
Farms using them and types of crates	p28; F							
Feed/Feeding (see also Nutrition)								
Antibiotics								
Creep prestarter								
Farms feeding supplemental milk, creep prestarter	p36							
Piglets fed supplemental milk, creep prestarter	p36							
Delivery frequency (see Transportation--Feed)	p21							
Equipment								
Feeders								
Cleaning feeders								
Method filled								
Fish meal								
Food waste, feeding of								
Grower/finisher pigs								
Number of diets fed (phase feeding)								
Mixing of diets								
Split sex feeding								
Intake								
In lactating sows								
Meat and bone meal								
On-farm manufacture								
Salmonella								
Storage								
Feed Efficiency								
Feeder Pigs								
Co-mingling of								
Isolation and quarantine	p17; E	p16				p27; H		
Days new arrivals separated	p17; E							
Health testing new arrivals	p16					p27; H		
Source for grower/finisher phase								
Fenbendazole								
Feral Pigs (see Wild Pigs)								
Finisher Pigs (see Grower/Finisher Pigs)								
Flavomycin (see Bambermycin)								
Flies								
Control								
Floor								
Farrowing crates	p28-29; F							
Finishing floor								
Florfenicol								
Flunixin Meglumine								

		Descriptive Reports				Other References		
		1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Use in sows								
Food Safety (see also Pork Quality)								
Prevalence of food-borne pathogens								
Salmonella								
Source of information								
Fumonisin								
Gastric Ulcer								
Sows								
Market swine								
Gastrointestinal (see also Enteric)								
Condition/problems								
Cost								
Genetics								
Breed type								
Commercial Breeding Co.								
Feed efficiency								
Sow replacement rate								
Gentamicin								
Prevention of diarrhea								
Susceptibility of Salmonella								
Use in grower/finishers								
Use in sows								
Gestation								
Nutrition								
Facilities (see also Housing)								
Gilts								
Acclimation								
Age at first service								
Age separated from market hogs								
Isolation and quarantine								
Days new arrivals separated								
Health testing new arrivals								
Management								
Contact before breeding with boars								
Contact before breeding with sows								
Average days exposed prior to breeding with boars								
Average days exposed prior to breeding with sows								
Nutrition								
Source of purchased breeding females								
Goats								
Distance of swine farm-to-farm with goats								
On swine premises								
Within 1 or 3 miles of premises								

	Descriptive Reports					Other References	
	1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Greasy Pig							
Prevalence							
Grower/Finisher Pigs							
Average age leaving (days to market)	p39	p6	p13	p24	p23-24	p7,25-26; V	
Co-mingling				N			
Culling				p15			
Rate				p15			
Reasons				p8			
Facilities				p9			
Flooring				p13, 15			
Types used				p15, 18-19			
Managing sick pigs				p19			
Marketing				M			
Method sold							
Distance to slaughter plant							
Mortality							
Rate	p40	p15	p16	p21	p10		
Reasons	p40	p16	p16	p22	p11		
Risk factors							
Nutrition							
Number diets fed				p3			
Pig flow (All/AO; continuous)	p39	p12	p16	N			
Preventive practices				p12-13			
Productivity (ADG; FE)							
Source (type and number)							
Wean to finish building							
Weight at market							
Growth Promotants (see also Antibiotics and Probiotics)							
Cost	p39						
Haemophilus Parasuis (Glasser's disease)							
Cost							
Mortality rate							
Prevalence							
Heating (see under Housing)							
Heat Stress							
Cost							
Hemorrhagic Bowel Syndrome							
Herd Health Program							
Preventive antibiotics/growth promotants							
Preventive practices							
Baby pigs	p11, 27; C	p12					
Boars	p27; C	p12					
Market swine	p12	p12					
Sows and/or gilts	p13, 27; C	p12					

		Descriptive Reports					Other References	
		1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Hormones								
Horses								
On swine premises								
Housing								
Bedding, in farrowing		p18						
Breeding/gestation--facility type			p31					
Cleaning methods				p30				
Cooling method used				p30; F				
Environment				p8				
Exclusion of other animals					p14-15			
Farrowing								
Effect on preweaning mortality								
Facility type			p28					
Cooling--types			p30; F					
Heating--types			p30					
All-in, All-out			p35					
Feeder design								
Management				p9				
General building design								
Grower/finisher								
All-In, All-out								
Facility type								
Stocking density								
Wean-to-finish								
Idle time								
Nursery								
All-in, All-out								
Facility type								
Remodeling								
Ventilation (see also Ventilation)				p29				
Fans				p29				
Waste management								
Lagoon design and management								
Waste disposal								
Types of systems								
Veterinary consultation								
Hygiene								
Cleaning								
Floor								
Truck cleaning								
Hygromycin B								
Use in grower/finishers								
Identification								
Operation Identification of slaughter pigs								
Identification of treated pigs								

	1990	1995-I	1995-II	1995-III	Descriptive Reports			Other References
					2000-I	2000-II	2000-III	
ileitis (see Proliferative Enteritis)								
Iron								
Feed								
Oral								
Injectable								2
Serology								
Water								
Isowean (see Segregated Weaning)								
Ivermectin								
Lactation								
Dexamethasone								
Failure								
Length								
Nutrition								
Lagoon								
Age								
Design								
Freeboard								
Management								
Lameness								
Incidence								
Morbidity								
Mortality								
Prevalence/reason for death loss								
Baby pigs								
Nursery pigs								
Grower/finisher pigs								
Breeding females								
Reasons for culling								
Boars								
Market swine								
Sows								
Lawsonia intracellularis (see also Proliferative Enteritis)								
Risk factors								34
Serology								34
Leptospirosis								
Prevalence								
Serology								
Vaccination								
Levamisole								
Lice								
Amitraz								
Control								
Cost								
								1

		Descriptive Reports					Other References	
		1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Prevalence	Lincormycin	p25						
Prevention of diarrhea								
Use in grower/finishers								2
Use in nursery pigs								39, 44
Use in sows								47
Litter Size								
Magnesium								2
Serology								6, 17
Water								
Mange								
Control								
Prevalence								
Manure (see Waste)								
Manure testing of nutrient content								
Disposal								
Waste management--types								
Marketing								
Basic strategies								
Contracts								
Distance to slaughter plant								
Method sold								
Mastitis								
Cost								1, 2
Incidence								
Mortality rate								2
Treatment								47
Medicated Early Weaning (see Segregated Weaning)								
To control Mycoplasma								
Milk								
Replacers								
Farms feeding supplemental milk, creep prestarter								
Piglets fed supplemental milk, creep prestarter								
Multiple Site Production (see also Early or Segregated Weaning)								
Separate nursery site								
Separate finisher site								
Muscle								
Muscle, bone, or joint problems within last 12 months								
Mycoplasma Hyopneumoniae								
Control								
Prevalence								
Serology								
Vaccination								

		Descriptive Reports				Other References		
		1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Mycotoxin								
Feed								
Neomycin								
Use in grower/finishers								
Use in nursery								
Nervous System								
Incidence								
Morbidity								
Mortality								
Prevalence/reason for death loss								
Baby pigs								
Nursery pigs								
Grower/finisher pigs								
Nitrates/Nitrites								
Effects on performance of farrowing swine								
Water								
Nursery Pig								
Age leaving the nursery								
Facility type								
Mortality								
Rate								
Reason								
Pig flow (AI/AO; continuous)								
Weight leaving the nursery								
Nutrition (see also Feed)								
Antibiotics								
Creep feeding								
Farms feeding supplemental milk, creep prestarter								
Piglets fed supplemental milk, creep prestarter								
Feed cost								
Feed processing								
On-farm mixing								
Growing/finishing								
Mixing of grower/finisher diets								
Number rations fed								
Split sex feeding								
Vitamin and mineral								
Iron (see Iron)								
Blood products								
Fat								
Plasma protein								
Protein								
Sequencing of rations								
Veterinary consultation								
Odor								

	1990	1995-I	1995-II	1995-III	Descriptive Reports		Other References
					2000-I	2000-II	
Piglet Mortality (see Baby Pig)					p55		
Piperazine							1, 2
Pneumonia, respiratory disease (see also Respiratory Tract)				p32			2
Condemnation rate							
Cost							
Fatality rate							
Prevalence							
Porcine Reproductive & Respiratory Syndrome (PRRS)							
Control	p25		p14		Q		
Prevalence							
Serology							
Vaccination							
Pork Industry							
Demographics							
Global							
Trends							
Pork Quality							
Assurance							
Postweaning Multisystemic Wasting Syndrome (see also Circovirus)							
Prevalence							
Poultry							
Distance of swine farm-to-farm with poultry				p23			
On swine premises				p18			
Within 1 or 3 miles of premises				p22			
Preweaning Mortality (see also Baby Pig, mortality)							
Cost							
Due to diarrhea				p5-6			
Incidence				p37; A	p3		
Prevalence				p37-38; A	p3		
Reasons and risk factors							
Proliferative Enteritis							
Lawsonia intracellularis							
Fatality rate							
Prevalence/reasons for death loss							
Pseudorabies							
Cost							
Fatality rate							
Prevalence							
Serology							
Vaccination							
Pyrantel Tartrate							
Ractopamine							

		Descriptive Reports					Other References	
		1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Placement of bait stations								
Rotavirus								
Prevalence								
Vaccination								
Roundworms (see <i>Ascaris Suum</i>)								
Salmonella								
Control (intervention strategies)								
Cost								
Feed Isolates								
Grower/finisher pigs								
Mortality rate								
Prevalence								
Risk factors								
Serology								
Serotypes								
Shedding								
Sensitivity								
Vaccination								
Segregated Weaning (see also Weaning and Multiple Site Production)								
Weaned at 20 days or less, removed to separate site								
Selenium								
Feed								
Serology								
Water								
Semen (see a/so Artificial Insemination)								
Source								
Veterinary consultation on collection								
Sheep								
Distance of swine farm-to-farm with sheep								
On swine premises								
Within 1 or 3 miles of premises								
Slaughter Checks								
Slaughter Plants								
Condemnation rates								
Distance hogs shipped to slaughter								
Information returned to producers								
Sodium								
Feed								
Serology								
Water								
Sows and Gilts								
Age gilts separated from market hogs								
Body condition								
Culling								

		Descriptive Reports				Other References		
		1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
Average age at culling		p42						
Average days from last weaning		p42						
Rate		p12, 31	p7					
Reasons		p41	p7					
Feeding								
Isolation and quarantine								
Days new arrivals separated		p16						
Health testing new arrivals		p17, E						
Longevity		p17, E	p16					
Average age at culling		p42						
Management								
Assisted manually during farrowing		p36						
Observed during farrowing		p36						
Retained at weaning for nursing other pigs		p36						
Washed before farrowing		p36						
Mating (see Breeding)								
Morbidity								
Mortality		p12	p12					
Preventive practices								
Reason for culling								
Reproductive Performance								
Source of purchased breeding females		p41	p32-33					
Water sources sows drink from			p14, 29					
Spectinomycin								
Use in grower/finishers								
Prevention of diarrhea								
Split Sex Feeding								
Split sex feeding			p4					
Stillbirths								
Cost								
Rate		p5, 6, 25, A	p3					
Staphylococcus Hyicus (see Greasy Pig)								
Stocking Density								
Streptococcus Suis								
Mortality rate								
Prevalence								
Vaccination								
Sulfamethazine								
Prevention of diarrhea								
Use in feed								
Use in grower/finishers								
Use in nursery pigs								
Sulfate								
Association with diarrhea								
Water								

	1990	Descriptive Reports				Other References
		1995-I	1995-II	1995-III	2000-I	
Swine Dysentery						
Cost						2
Mortality rates						2
Prevalence						2
Serology						2, 9, 10
Swine Influenza						2
Mortality rate						2
Prevalence						2, 7, 49
Serology						2, 7, 49
Vaccination						2, 7, 49
Teeth Clipping						
Terramycin						
Use in grower/finishers						
Use in nursery pigs						
Tetracyclines (see also Chlorotetracycline, Oxytetracycline)						
Susceptibility of <i>Salmonella</i>						36, 37
Disease prevention						2
Use in grower/finishers						
Use in nursery pigs						
Use in sows						
Tiamulin						
Use in grower/finishers						
Use in nursery pigs						
Tilmicosin						
Use in grower/finishers						
Use in nursery pigs						
Toxoplasma Gondii						
Prevalence						38
Risk factors						3, 30, 45
Serology						
Transmissible Gastroenteritis (TGE)						
Cost						
Epidemiology						22
Mortality rate						2
Prevalence						22
Risk factors						2, 7, 22
Serology						19, 20
Vaccination						
Transportation						
Feed delivery frequency (per month)						
Gastric emptying						
Livestock hauling						
Cleaning (see under Biosecurity)						p43

		Descriptive Reports					Other References	
		1990	1995-I	1995-II	1995-III	2000-I	2000-II	2000-III
TGE		p26; C						19, 20
Vancomycin								
Ventilation (see also Housing)								
Dust								
Fans								
Mechanical								
Natural								
Ventilation--types		p29; F						
Veterinary Practice/Veterinary Consultants								
Farm personnel								
Opinion of vet								
Recruiting /training								
Employee training								
Farm management options								
Frequency used by producers								
Services used by producers								
Virginiamycin								
Use in feed								
Use in grower/finishers								
Use in nursery pigs								
Vitamins								
Vomitoxin								
Waste Management								
Composting								
Dead pig disposal--time and method								
Lagoon design and management								
Manure disposal								
Nutrient content of manure, testing								
Nutrient management								
Soil fertility testing								
Solid-liquid separation								
Storage systems								
Types of systems used								
Water								
Assessing quality								
Delivery								
Sows								
Distance from swine facilities (in miles) ...								
To nearest lake/pond not on farm								
To nearest waterway not on farm								
Effect of nitrates on farrowing swine								
Farm use								
Frequency producers test ground water quality								
Sample results								
Source		G						4, 6, 17, 26 4, 17

Descriptive Reports

- 1990: Mortbidity/Mortality and Health Management of Swine in the U.S.
- 1995-I: Reference of 1995 Swine Management Practices
- 1995-II: Reference of 1995 U.S. Grower/Finisher Health & Management Practices
- 1995-III: Changes in the U.S. Pork Industry 1990-1995
- 2000-I: Reference of Swine Health and Management in the United States, 2000
- 2000-II: Reference of Swine Health and Health Management in the United State, 2000
- 2000-III: Reference of Swine Health & Environmental Management in the United States, 2000

NAHMS Info Sheets

1990 NSS

- A--Sow productivity
- B--Preweaning morbidity and mortality
- C--Preventive practices
- D--Consultants provide variety of services
- E--Biosecurity measures
- F--Total confinement farrowing facilities
- G--Results of water testing

Swine '95

- H--Trends in biosecurity measures
- I--Trends in vaccination practices
- J--Environmental practices/management
- K--Antibiotic usage in premarket swine
- L--Feed management
- M--Marketing finisher pigs
- N--Sources of pigs entering the grower/finisher phase

Swine '00

- O--Shedding of *Salmonella* by finisher hogs
- P--Presence of mycotoxins and *Salmonella* in Swine finisher diets
- Q--PRRS
- R--Prevalence of PRRS virus
- S--Preventive practices in swine: parasite treatment
- T--Preventive practices in swine: administration of iron and antibiotics
- U--Gilt management
- V--Swine nursery management
- W--Feed management
- X--Vaccination practices
- Y--Biosecurity

Other References:

- 1 Miller GY, Dorn CR. Costs of swine diseases to producers in Ohio. *Preventive Veterinary Medicine*. 1990; 8:183-190.
- 2 Owen, WJ. Food animal disease monitoring. Iowa State University. 1990; booklet.
- 3 Zimmerman JJ, Dreesen DW, Owen WJ, Beran GW. Prevalence of toxoplasmosis in swine in Iowa. *Journal American Veterinary Medical Association*. 1990; 196(2):266.
- 4 Stoltzenow, CL.. Water quality results from NAHMS Iowa rounds 2 and 3. USDA:APHIS:VS, Animal Health Insight, Fort Collins, CO. 1990; 1-2, 4.
- 5 Meyer VM, Bundy DS. Farrowing building air quality survey. *American Society Agricultural Engineers International Summer Meeting*, Albuquerque, NM. 1991.
- 6 Alexander J, Ross F. National swine survey water tests results. USDA:APHIS:VS, Animal Health Insight, Fort Collins, CO. Summer 1991; 7-9.
- 7 Alexander J, Dargatz DA. Preliminary results of the NAHMS national swine survey's biological and environmental sampling component. USDA:APHIS:VS, Animal Health Insight, Fort Collins, CO. Fall 1991; 1-5.
- 8 Zimmerman JJ, Owen WJ, Hill HT, Beran GW. Seroprevalence of antibodies against encephalomyocarditis virus in swine of Iowa. *Journal American Veterinary Medical Association*. 1991; 199(12):1737-1741.
- 9 Mopother ME. An estimate of the prevalence of swine dysentery in the US swine herds during 1989-91. 1992.
- 10 Mopother ME. Evaluation of the ELISA for the detection of serum antibodies to *Serpulina (Treponema) hyodysenteriae*. Livestock Conservation Institute Annual Meeting, Peoria, IL. 1992.
- 11 Frey ML. Observations on the serology of encephalomyocarditis of swine. USDA:APHIS:VS, Animal Health Insight, Fort Collins, 12 Crooks AC, Hurd HS, Dargatz DA, Hill GW. Economic cost of piglet mortality in the farrowing to weaning phase: a report of the NAHMS national swine survey. USDA:APHIS:VS, Animal Health Insight, Fort Collins, CO. Fall 1992; 9-14.
- 13 USDA. Morbidity/mortality and health management of swine in the United States. USDA:APHIS:VS, Fort Collins, CO. 1992; 43 p.
- 14 Crooks AC, Hurd HS, Dargatz DA, Hill GW. Economic cost of piglet mortality: a report of the NAHMS national swine survey. *Swine Health and Production*. 1993; 1(3):15-21.
- 15 Tubb RC, Hurd HS, Dargatz DA, Hill GW. Preweaning morbidity and mortality in the United States swine herd. *Swine Health and Production*. 1993; 1(1):21-28.
- 16 Veenhuizen MF. Association between water sulfate and diarrhea in swine on Ohio farms. *Journal American Veterinary Medical Association*. 1993; 202(8):1255-1260.
- 17 Hurd HS. An analysis of methods used to report water quality results from a national sample. USDA:APHIS:VS, Animal Health Insight, Fort Collins, CO. 1993; 1-4.
- 18 Bautista EM, Morrison RB, Goyal SM, Collins JE, Annelli JF. Seroprevalence of PRRS virus in the United States. *Swine Health and Production*. 1993; 1(6):4-8.
- 19 Straw BE. Vaccination of swine. *Nebraska Center for Continuing Education, George A. Young Swine Conference*, Lincoln, NE. 1994; 58 p.

20 Ott SL. Influence of herd size on swine vaccination practices. USDA:APHIS:VS, Animal Health Insight, Fort Collins, CO. 1994; 14-17.

21 Yeske P, Ott SL, Hurd HS. Facility effects on preweaning mortality: a report of the NAHMS national swine survey. *Swine Health and Production*. 1994; 2(5):11-18.

22 Yangga ST, Gardner IA, Hurd HS, Eernisse KA, Willeberg P. Management and demographic factors associated with seropositivity to TGE virus in US swine herds, 1989-1990. *Preventive Veterinary Medicine*. 1995; 24:213-228.

23 Dewey CE, Wittum TE, Hud HS, Dargatz DA, Hill GW. Herd and litter level factors associated with the incidence of diarrhea

24 morbidity and mortality in piglets 4 to 14 days of age. *Swine Health and Production*. 1995; 3(3):105-112.

25 Wittum TE, Dewey CE, Hurd HS, Dargatz DA, Hill GW. Herd and litter level factors associated with the incidence of diarrhea morbidity and mortality in piglets 1 to 3 days of age. *Swine Health and Production*. 1995; 3(3):99-104.

26 USDA. Swine '95 Part I: Reference of 1995 swine management practices. N186.995. USDA:APHIS:VS. Fort Collins, CO. 1995.

27 Bruning-Fann C, Kaneene JB, Lloyd JW, Stein AD, Thacker BJ, Hurd H. Associations between drinking-water nitrate and the productivity and health of farrowing swine. *Preventive Veterinary Medicine*. 1996; 26:33-46.

28 Fedorka-Cray PJ, Bush EJ, Thomas LA. Results of the NAHMS Swine '95 grower/finisher survey--feed. *US Animal Health Association*. 1996.

29 Hurley T, Chaudhary S, Kliebenstein JB, McKean JD. Costs of pig scours. *Iowa State University 1995 Swine Research Report*. 1996. 1995:152.

30 Hurley T, Chaudhary S, Kliebenstein JB, McKean JD. Costs of respiratory disease. *Iowa State University 1995 Swine Research Report*. 1996. 1995:154.

31 Patton S, Zimmerman JJ, Roberts T, Faulkner CT, Diderrich VR, Assadi-Rad A, Davies PR, Kliebenstein JB. Seroprevalence of Toxoplasma gondii in hogs in the NAHMS. *Journal Eukaryotic Microbiology*. October 1996; 121S.

32 Wittum TE, Dewey CE. Partial budget analysis of sow Escherichia coli vaccination. *Swine Health and Production*. 1996; 4(1):9-14.

33 Bowman G, Ott SL, Bush EJ. Management effects on preweaning mortality: a report of the NAHMS 1990 National Swine Survey. *Swine Health and Production*. 1996; 4(1):25-32.

34 Bane DP, Norby B, Gardner IA, Roof MB, Knittel JP, Bush EJ. Prevalence and management risk factors associated with Lawsonia intracellularis seropositivity in the US swine herd. *University of Minnesota Allen D. Leman Swine Conference*, St. Paul, MN. 1997; 19.

35 Bush EJ, Fedorka-Cray PJ. Risk factors associated with shedding of Salmonella by US finishing hogs. *American Association of Swine Practitioners*. 28th Annual Meeting, Quebec City. 1997; 433-436.

36 Fedorka-Cray PJ, Holcomb HL, Bush EJ, Dargatz DA, Tollefson LK. Resistance and sensitivity patterns of Salmonella isolates. *University of Minnesota Allen D. Leman Swine Conference*, St. Paul, MN. 1997; booklet.

37 Holcomb HL, Fedorka-Cray PJ, Bush EJ, Dargatz DA, Tollefson LK. Antimicrobial susceptibility of Salmonella isolates from swine. *Proceedings of the 2nd International Symposium on the Control of Salmonella*, Copenhagen. 1997.

38 Kliebenstein JB, Patton S, Zimmerman JJ, Hu X, Hallam A, Roberts T, Bush EJ. *Toxoplasma gondii* in United States swine operations: an assessment of management factors. AEEMA, Epidemiologie et Sante Animale VIII, Paris. 1997; 05.26. 1.

39 Dewey C, Cox BD, Straw BE, Bush EJ, Hurd HS. Associations between off-label feed additives and farm size, veterinary consultant use, and animal age. *Preventive Veterinary Medicine*. 1997; 31(1-2):133-146.

40 USDA. Swine '95 Part III: Changes in the US pork industry 1990-1995. N248.1097. USDA:APHIS:VS, Fort Collins, CO. 1997.

41 Losinger WC, Bush EJ, Smith MA, Corso BA. An analysis of mortality in the grower/finisher phase of swine production in the United States. *Preventive Veterinary Medicine*. 1998; 33(1-4):121-145.

42 Losinger WC, Bush EJ, Smith MA, Corso BA. Mortality attributed to respiratory problems among finisher pigs in the United States. *Preventive Veterinary Medicine*. 1998; 37(1-4):21-31.

43 Bush EJ, Wagner BA, Fedorka-Cray PJ. Risk factors associated with shedding of salmonella by US finishing hogs. *Proceedings of the 3rd International Symposium on the Epidemiology and Control of Salmonella in Pork*, Washington, DC. 1999; 106-108.

44 Dewey CE, Cox BD, Straw BE, Bush EJ, Hurd HS. Use of antimicrobials in swine feeds in the United States. *Swine Health and Production*. 1999; 7(1):19-25.

45 Wells SJ, Bush EJ, Blaha T. What do we know about food-borne pathogens in pigs and slaughterhouses? *University of Minnesota Allen D. Leman Swine Conference*, St. Paul, MN. 1999; 228.

46 Gamble HR, Bush EJ. Seroprevalence of Trichinella infection in domestic swine based on the National Animal Health Monitoring System's 1990 and 1995 swine surveys. *Veterinary Parasitology*. 1999; 80(4):303-310.

47 Straw BE, Bush EJ, Dewey CE. Types and doses of injectable medications given to periparturient sows. *Journal American Veterinary Medical Association*. 2000; 216(4):510-515.

48 Bush EJ, Stanton N. Highlights from the past two NAHMS national swine studies. *Swine Health and Production*. 2000; 8(2):97-98.

49 Swenson SL, Johnson E, Eernisse KA, Hofer C, Landolt G, Karasin A, Olsen CW, Bush EJ. Swine Influenza surveillance in the United States. *Tracking and Managing SIV*, University of Minnesota Allen D. Leman Swine Conference, Minneapolis, MN. 2001; 11-12.

50 USDA. Part I: Reference of swine health and management in the United States, 2000. USDA:APHIS:VS, Fort Collins, CO. 2001.

51 USDA-NASS Estimates Division. Agricultural chemical usage: 1999 swine and swine facilities. 2000.

* NATIONAL AGRICULTURAL LIBRARY



1022589020



1022589020

For more information, contact:

USDA:APHIS:VS:CEAH
NRRC Building B., M.S. 2E7
2150 Centre Avenue
Fort Collins, CO 80526-8117
970.494.7243
E-mail: NAHMSweb@aphis.usda.gov
www.aphis.usda.gov/vs/ceah/calm